



NOWODVORSKI LIGHTING

2 0 1 8

NOVELTIES




MONACO 9362 BL



MONACO 9363 BL

MONACO 9364 BL




MONACO

szkło, stal lakierowana / glass, painted steel /
стекло, лакированная сталь

9364 ● BL

1×E27, max 60W




MONACO

szkło, stal lakierowana / glass, painted steel / стекло, лакированная сталь

9363 ● BL

2×E27, max 60W




MONACO

szkło, stal lakierowana / glass, painted steel / стекло, лакированная сталь

9362 ● BL

2×E27, max 60W



MONACO


szkło, stal lakierowana / glass, painted steel / стекло, лакированная сталь

9308 ● BL

1×E27, max 60W



CRANE 9374 BL




CRANE


stal, szkło / steel, glass / сталь, стекло

9374 ● BL

Ⓛ 1×E27, max 60W



HARMONY 9890 BL



HARMONY


stal lakierowana / painted steel / лакированная сталь

9890 ● BL


Ⓛ 1×E27, max 60W



AXIS 9294 BL



AXIS 9297 BL




AXIS

stal lakierowana / painted steel / лакированная сталь

9294 ● BL

Ⓛ 1×E27, max 60W




AXIS

stal lakierowana / painted steel / лакированная сталь

9296 ● BL

Ⓛ 6×E27, max 60W



AXIS

stal lakierowana / painted steel / лакированная сталь

9297 ● BL

Ⓛ 6×E27, max 60W




NUAGE 9272 WH



GLOBE 9306 CH



GLOBE 9307 CO




NUAGE

szkło, stal chromowana / glass, electroplated steel / стекло, хромированная сталь

9272 ○ WH

Ⓧ 2×E27, max 60W



GLOBE

szkło, stal chromowana / glass, electroplated steel / стекло, хромированная сталь


9306 ● CH 9307 ● CO

Ⓧ 3×E27, max 60W



SHY 9393 GY

SHY 9390 GY




SHY

beton / concrete / бетон

9393 ● GY

1×GU10, ES111, max 75W



SHY

beton / concrete / бетон


9390 ● GY

1×GU10, max 35W



BOLD 9388 GY

BOLD 9392 GY




BOLD

beton / concrete / бетон

9388 ● GY

1×GU10, max 35W



BOLD

beton / concrete / бетон

9392 ● GY


1×GU10, ES111, max 75W



SHY 9391 GY



SHY 9391 GY




SHY





beton / concrete / бетон

9391 ● GY

1×GU10, max 35W



GROOVE 9316 BL



GAP

aluminium lakierowane / painted aluminium / лакированное алюминий

9385 ○ WH 9384 ● BL

Ⓧ 2×GU10, max 35W

PAG

aluminium lakierowane / painted aluminium / лакированное алюминий

9387 ○ WH 9386 ● BL

Ⓧ 2×GU10, max 35W

GROOVE

aluminium lakierowane / painted aluminium / лакированное алюминий

9383 ○ WH 9316 ● BL

Ⓧ 2×GU10, ES111, max 75W

OVAL

aluminium lakierowane / painted aluminium / лакированное алюминий

9241 ○ WH 9240 ● BL

Ⓧ 2×GU10, ES111, max 75W



BOX ES111 9472 WH




DOWNLIGHT ES111 9575 WH



DOWNLIGHT ES111 9573 SI



DOWNLIGHT ES111 9571 BL




DOWNLIGHT ES111

stal lakierowana / painted steel / лакированная сталь

9571 ● BL 9573 ● SI 9575 ○ WH

Ⓛ 1×GU10, ES111, max 75W, not included

✂ cut out 165×165 mm



DOWNLIGHT ES111

stal lakierowana / painted steel / лакированная сталь

9570 ● BL 9572 ● SI 9574 ○ WH

Ⓛ 2×GU10, ES111, max 75W, not included

✂ cut out 320×165 mm




BOX ES111 9497 WH



BOX ES111 9496 GY



BOX ES111 9495 BL




BOX ES111

sklejka, stal lakierowana / plywood, painted steel / дерево, лакированная сталь

9495 ● BL 9496 ● GY 9497 ○ WH

Ⓛ 1×GU10, ES111, max 75W, not included






BOX ES111

sklejka, stal lakierowana / plywood, painted steel / дерево, лакированная сталь

9470 ● BL 9471 ● GY 9472 ○ WH

Ⓛ 2×GU10, ES111, max 75W, not included



MOD
stal lakierowana / painted steel / лакированная сталь
9417 ● BL 9413 ○ WH
1xGU10, ES111, max 75W
cut out 120x120 mm

MOD
stal lakierowana / painted steel / лакированная сталь
9416 ● BL 9412 ○ WH
2xGU10, ES111, max 75W
cut out 120x230 mm

MOD PLUS
stal lakierowana / painted steel / лакированная сталь
9404 ● BL 9408 ○ WH
1xGU10, ES111, max 75W
cut out 120x120 mm


MOD PLUS
stal lakierowana / painted steel / лакированная сталь
9403 ● BL 9407 ○ WH
2xGU10, ES111, max 75W
cut out 120x230 mm



PROFILE EYE SUPER A 9325 BL



PROFILE SHOW LED
9424 BL




PROFILE EYE SUPER A

stal lakierowana / painted steel / лакированная сталь

9324 ○ WH 9325 ● BL

① 1×GU10, max 35W




PROFILE EYE SUPER C

stal lakierowana / painted steel / лакированная сталь

9245 ○ WH 9244 ● BL

① 1×GU10, max 35W




PROFILE FLEX

peszel, stal lakierowana / protective pipe, painted steel / кабель-канал, лакированная сталь

9328 ○ WH 9330 ● BL

① 1×GU10, max 35W




PROFILE EYE FLEX

peszel, stal lakierowana / protective pipe, painted steel / кабель-канал, лакированная сталь

9331 ○ WH 9332 ● BL


① 1×GU10, max 35W



PROFILE SHOW LED

aluminium / aluminium / алюминия

9423 ○ WH 9424 ● BL




PROFILE EYE SPOT

stal lakierowana / painted steel / лакированная сталь

9321 ○ WH 9322 ● BL

① 1×GU10, max 35W

ITEM NO	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI ≥)	SAFETY TYPE	INPUT	POWER FACTOR	INGRESS PROTECTION
9423, 9424	1×12W COB LED	4000K	1500-1650 lm	24°	80	■	~220-240V, 50Hz	0,5	IP 20




PROFILE BUBBLE

stal lakierowana / painted steel / лакированная сталь

9335 ○ WH 9336 ● BL

1×GU10, max 35W




PROFILE BIT

stal lakierowana / painted steel / лакированная сталь

9333 ○ WH 9334 ● BL

1×GU10, ES111, max 75W, **included**




PROFILE WORKSHOP


stal lakierowana / painted steel / лакированная сталь

9427 ● BL

1×E27, max 60W



PROFILE EYE 9338 BL




PROFILE VESPA

stal lakierowana / painted steel / лакированная сталь

9323 ○ WH

1×GU10, ES111, max 75W, **included**




PROFILE EYE

stal lakierowana / painted steel / лакированная сталь

9337 ○ WH 9338 ● BL


1×GU10, max 35W



PROFILE TRACK LIGHTS SYSTEM **BLACK** **WHITE**


1 PROFILE TRACK 1 METRE	9448	9450
2 PROFILE TRACK 2 METRES	9452	9451
3 PROFILE POWER END CAP	9463	9462
4 PROFILE L-CONNECTOR	9455	9456
5 PROFILE STRAIGHT CONNECTOR	9453	9454
6 PROFILE DEAD END CAP	9458	9457
7 PROFILE SUSPENSION KIT	9460	9461
8 PROFILE POWER SUPPLY KIT	9238	9237

$X_1 + X_2 + X_3 + X_4 + \dots = \max 20m$
 $L_1 + L_2 + L_3 + L_4 + \dots = \max 1500W$




PROFILE TRACK 2m

aluminium / aluminium / алюминия
 9451 ○ WH 9452 ● BL




PROFILE TRACK 1m

aluminium / aluminium / алюминия
 9450 ○ WH 9448 ● BL




PROFILE STRAIGHT CONNECTOR

PC, miedź / PC, copper / PC, медь
 9454 ○ WH 9453 ● BL




PROFILE L-CONNECTOR

PC, miedź / PC, copper / PC, медь
 9456 ○ WH 9455 ● BL




PROFILE POWER SUPPLY KIT

przewód, stal lakierowana / line, painted steel / проволока, лакированная сталь
 9237 ○ WH 9238 ● BL




PROFILE SUSPENSION KIT

PC, stal / PC, steel / PC, сталь
 9461 ○ WH 9460 ● BL



PROFILE DEAD END CAP

PC / PC / PC
 9457 ○ WH 9458 ● BL



PROFILE POWER END CAP


PC, miedź / PC, copper / PC, медь
 9462 ○ WH 9463 ● BL



EYE FIT 9397 BL



EYE FIT 9398 BL




EYE FIT

stal lakierowana / painted steel / лакированная сталь

9396 ○ WH 9400 ● BL

- 📍 1×GU10, max 35W
- 🔧 cut out Ø55 mm




EYE FIT

stal lakierowana / painted steel / лакированная сталь

9395 ○ WH 9398 ● BL

- 📍 2×GU10, max 35W
- 🔧 cut out 130×30 mm



EYE FIT

stal lakierowana / painted steel / лакированная сталь

9394 ○ WH 9397 ● BL


- 📍 3×GU10, max 35W
- 🔧 cut out 210×30 mm



PLANT 9381 BL



PLANT 9382 WH



PLANT

stal lakierowana / painted steel / лакированная сталь

9382 ○ WH 9381 ● BL


⚡ 4×GU10, max 35W



WING LED 9248 GR



WING LED 9295 WH




WING LED

stal lakierowana / painted steel / лакированная сталь

9295 ○ WH 9248 ● GR 9250 ● BL



DOT 9378 WH



DOT


stal lakierowana / painted steel / лакированная сталь

9378 ○ WH


1 × GU10, max 35W

cut out Ø125 mm

NAME	SIZE	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	POWER FACTOR	LED DRIVER	LIFETIME	MATERIAL
LED TUBE T8	60 cm	11W	3000K	950-1000 lm	200°	80	~230V, 50Hz	> 0,9	INCL.	25 000 h	CLEAR GLASS



TUBE 9318 GR




TUBE

aluminium lakierowane / painted aluminium / лакированное алюминий

9317 ○ WH 9318 ● GR 9320 ● BL

Ⓧ 2xGU10, ES111, max 75W

TUBE 9320 BL




GARRET

stal lakierowana / painted steel / лакированная сталь

9247 ●

Ⓧ 1xE27, max 60W




SOFT LED 90x6 9545 WH

SOFT LED 90x20
aluminium, PC / aluminium, PC / алюминия, PC
9544 ○ WH 9542 ● GR
⊖ 2xT8 LED, 16W, included

SOFT LED 90x6
aluminium, PC / aluminium, PC / алюминия, PC
9545 ○ WH 9546 ● GR
⊖ 1xT8 LED, 16W, included

SOFT LED 120x6
aluminium, PC / aluminium, PC / алюминия, PC
9547 ○ WH 9543 ● GR
⊖ 1xT8 LED, 22W, included




SOFT LED 60x6

aluminium, PC / aluminium, PC / алюминия, PC

9541 ○ WH 9537 ● GR

☉ 1xT8 LED, 11W, **included**



SOFT LED 60x20

aluminium, PC / aluminium, PC / алюминия, PC

9534 ○ WH 9532 ● GR

☉ 2xT8 LED, 11W, **included**




SOFT LED 60x6

aluminium, PC / aluminium, PC / алюминия, PC

9527 ○ WH 9525 ● GR

☉ 1xT8 LED, 11W, **included**



SOFT LED 90x6

aluminium, PC / aluminium, PC / алюминия, PC

9540 ○ WH 9536 ● GR

☉ 1xT8 LED, 16W, **included**



SOFT LED 90x20

aluminium, PC / aluminium, PC / алюминия, PC

9533 ○ WH 9531 ● GR

☉ 2xT8 LED, 16W, **included**




SOFT LED 90x6

aluminium, PC / aluminium, PC / алюминия, PC

9526 ○ WH 9524 ● GR

☉ 1xT8 LED, 16W, **included**





SOFT LED 120x6

aluminium, PC / aluminium, PC / алюминия, PC

9538 ○ WH 9535 ● GR

☉ 1xT8 LED, 22W, **included**



SOFT LED 60x60

aluminium, PC / aluminium, PC / алюминия, PC

9530 ○ WH 9528 ● GR

☉ 5xT8 LED, 11W, **included**



SOFT LED 60x20

aluminium, PC / aluminium, PC / алюминия, PC

9523 ○ WH 9522 ● GR

☉ 2xT8 LED, 11W, **included**

NAME	SIZE	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	POWER FACTOR	LIFETIME	MATERIAL
LED TUBE T8	60 cm	11W	3000K	950-1000 lm	200°	80	~230V, 50Hz	> 0,9	25 000 h	CLEAR GLASS
LED TUBE T8	90 cm	16W	3000K	1400-1500 lm	200°	80	~230V, 50Hz	> 0,9	25 000 h	CLEAR GLASS
LED TUBE T8	120 cm	22W	3000K	2000-2100 lm	200°	80	~230V, 50Hz	> 0,9	25 000 h	CLEAR GLASS



OFFICE LED




HALL LED



OFFICE LED

aluminium / aluminium / алюминий
9358 ○ WH 9360 ● GR



OFFICE LED

aluminium / aluminium / алюминий
9355 ○ WH 9356 ● GR

**CertaFlux LED Strip and CertaDrive
made by PHILIPS inside**

**LIFETIME min 50 000 h
5 YEARS WARRANTY**




HALL LED

aluminium / aluminium / алюминий
9466 ○ WH 9357 ● GR

NAME	SIZE	INPUT POWER	COLOUR TEMP.	LUMINOUS FLUX	LUMINAIRE EFFICIENCY	COLOUR RENDERING INDEX (CRI ≥)	INPUT	LIFETIME
HALL LED	150 cm	43W	4000K	5200 lm	120 lm/W	80	~230V, 50Hz	50 000 h
OFFICE LED	150 cm	43W	4000K	4800 lm	110 lm/W	80	~230V, 50Hz	50 000 h



ALANYA 9367 WH




ALANYA


abażur, stal lakierowana / shade, painted steel / абажур, лакированная сталь

9367 ○ WH 9371 ● GY

Ⓛ 1×E27, max 60W



ALANYA 9373 GY



ALANYA


abażur, stal lakierowana / shade, painted steel / абажур, лакированная сталь

9370 ○ WH 9373 ● GY

Ⓛ 2×E27, max 60W



FLEX SHADE 9277 WH




FLEX

peszel, stal lakierowana / protective pipe, painted steel /
кабель-канал, лакированная сталь

9274 ○ WH 9273 ● BL

Ⓢ 7×E27, max 60W



FLEX SHADE


abażur, peszel, stal lakierowana / shade, protective pipe, painted steel /
абажур, кабель-канал, лакированная сталь

9277 ○ WH 9278 ● BL

Ⓢ 5×E27, max 60W



FLEX 9273 BL





FLEX SHADE

abażur, peszel, stal lakierowana / shade, protective pipe, painted steel /
абажур, кабель-канал, лакированная сталь

9275 ○ WH 9276 ● BL

Ⓢ 7×E27, max 60W




HOTEL

abażur, stal chromowana / shade, electroplated steel / абажур, хромированное сталь

9301 ● GY

1×E27, max 60W



HOTEL


abażur, stal chromowana / shade, electroplated steel / абажур, хромированное сталь

9303 ● GY

1×E14, max 60W



HOTEL LED 9302 GY




HOTEL LED

abażur, stal chromowana / shade, electroplated steel / абажур, хромированное сталь

9302 ● GY

1×E27, max 60W, 1×LED 2,2W




HOTEL

abażur, stal chromowana / shade, electroplated steel / абажур, хромированное сталь

9298 ● GY

1×E27, max 60W



HOTEL


abażur, stal chromowana / shade, electroplated steel / абажур, хромированное сталь

9300 ● GY

1×E27, max 60W



HOTEL 9304 GY




HOTEL

abażur, stal chromowana / shade, electroplated steel / абажур, хромированное сталь

9304 ● GY

2×E27, max 60W

AWINION 9280 WH




AWINION

sklejka, abażur / plywood, shade / дерево, абажур

9282 ○ WH

Ⓛ 1×E27, max 40W




AWINION

sklejka, abażur / plywood, shade / дерево, абажур

9281 ○ WH

Ⓛ 3×E27, max 40W



AWINION


sklejka, abażur / plywood, shade / дерево, абажур

9280 ○ WH

Ⓛ 4×E27, max 40W



NEO 9365 GY




NEO

abażur, sklejka / shade, plywood / абажур, дерево

9366 ● GY

Ⓛ 1×E27, max 40W




NEO


abażur, sklejka / shade, plywood / абажур, дерево

9365 ● GY

Ⓛ 3×E27, max 60W



DOVER 9264 BL



DOVER


sklejka, stal lakierowana /
plywood, painted steel /
дерево, лакированная сталь

9260 ○ WH 9265 ● BL

⚡ 2×GU10, max 35W



DOVER 9260 WH




DOVER

sklejka, stal lakierowana /
plywood, painted steel /
дерево, лакированная сталь

9261 ○ WH 9266 ● BL

⚡ 1×GU10, max 35W



DOVER

sklejka, stal lakierowana /
plywood, painted steel /
дерево, лакированная сталь

9256 ○ WH 9262 ● BL

⚡ 3×GU10, max 35W



DOVER 9262 BL




DOVER

sklejka, stal lakierowana /
plywood, painted steel /
дерево, лакированная сталь

9268 ○ WH 9267 ● BL

⚡ 1×GU10, max 35W




DOVER

sklejka, stal lakierowana /
plywood, painted steel /
дерево, лакированная сталь

9258 ○ WH 9264 ● BL

⚡ 1×GU10, max 35W



DOVER


sklejka, stal lakierowana /
plywood, painted steel /
дерево, лакированная сталь

9257 ○ WH 9263 ● BL

⚡ 2×GU10, max 35W



WOOD DIAMOND 9372



WOOD DIAMOND


sklejka / plywood / дерево

9372

1x E27, max 60W



MINIMAL 9375 OAK




MINIMAL

drewno, stal lakierowana, miedz / wood, painted steel, brass / дерево, лакированная сталь, латунь

9375 OAK

2x E27, max 40W



MINIMAL

drewno / wood / дерево


9310 SMOKED OAK 9377 OAK

1x G9, max 10W



OSLO LED 9315 SMOKED OAK

OSLO 9311 SMOKED OAK




OSLO

drewno, stal / wood, steel / дерево, сталь

9311 ● SMOKED OAK

⊖ 1×E14, max 40W




OSLO LED

drewno, stal / wood, steel / дерево, сталь

9312 ● SMOKED OAK

⊖ 1×T8 LED, max 11W, **included**




OSLO LED

drewno, stal / wood, steel / дерево, сталь

9313 ● SMOKED OAK

⊖ 1×T8 LED, max 16W, **included**




OSLO LED

drewno, stal / wood, steel / дерево, сталь

9314 ● SMOKED OAK

⊖ 1×T8 LED, max 11W, **included**



OSLO LED

drewno, stal / wood, steel / дерево, сталь


9315 ● SMOKED OAK

⊖ 1×T8 LED, max 16W, **included**

NAME	SIZE	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	POWER FACTOR	LED DRIVER	LIFETIME	MATERIAL
LED TUBE T8	60 cm	11W	3000K	950-1000 lm	200°	80	~230V, 50Hz	> 0,9	INCL.	25 000 h	CLEAR GLASS
LED TUBE T8	90 cm	16W	3000K	1400-1500 lm	200°	80	~230V, 50Hz	> 0,9	INCL.	25 000 h	CLEAR GLASS



TOY-STAR 9293




TOY-STAR

sklejka, stal lakierowana / plywood, painted steel / дерево, лакированная сталь

9293 ●

Ⓧ 3×E14, max 40W



TOY-STAR

sklejka, stal lakierowana / plywood, painted steel / дерево, лакированная сталь


9376 ●

Ⓧ 1×E14, max 40W





COMIC BOOK 9285




COMIC BOOK

sklejka, stal lakierowana / plywood, painted steel / дерево, лакированная сталь

9290

1xGU10, max 35W




COMIC BOOK

sklejka, stal lakierowana / plywood, painted steel / дерево, лакированная сталь

9286

2xGU10, max 35W



COMIC BOOK

sklejka, stal lakierowana / plywood, painted steel / дерево, лакированная сталь

9285

3xGU10, max 35W

VAN GOGH LED S 9346 CH







VAN GOGH LED M 9347 CH



VAN GOGH LED M 9350 WH



VAN GOGH LED M 9352 BL



VAN GOGH LED S

aluminium, PC / aluminium, PC / алюминий, PC

9346 ● CH 9348 ○ WH 9351 ● BL


VAN GOGH LED M

aluminium, PC / aluminium, PC / алюминий, PC

9347 ● CH 9350 ○ WH 9352 ● BL



MIRROR LED 9340 CH






MIRROR LED

aluminium, PC / aluminium, PC / алюминий, PC

9340 ● CH

ITEM NO	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI ≥)	SAFETY TYPE	INPUT	POWER FACTOR	INGRESS PROTECTION
9346, 9348, 9351	8W LED EPISTAR	3000K	447 lm	120°	80	⊕	~220-240V, 50Hz	> 0,5	IP 44
9347, 9350, 9352	12W LED EPISTAR	3000K	795 lm	120°	80	⊕	~220-240V, 50Hz	> 0,5	IP 44

ITEM NO	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI ≥)	SAFETY TYPE	INPUT	POWER FACTOR	INGRESS PROTECTION
9340	8W LED EPISTAR	3000K	600 lm	90°	80	⊕	~220-240V, 50Hz	> 0,5	IP 44



CAYO

szkło, stal chromowana / glass, electroplated steel /
стекло, хромированная сталь

9505 ● CH

1xG9, max 40W
IP 44

SIS


szkło, stal chromowana / glass, electroplated steel /
стекло, хромированная сталь

9506 ● CH

1xG9, max 40W
IP 44




SIS 9506 CH



KAGERA LED M

szkło, PMMA, aluminium chromowane / glass, PMMA, electroplated
aluminium / стекло, PMMA, хромированное алюминий

9503 ● CH



KAGERA LED L

szkło, PMMA, aluminium chromowane / glass, PMMA, electroplated
aluminium / стекло, PMMA, хромированное алюминий

9502 ● CH

ITEM NO	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI _a)	SAFETY TYPE	INPUT	POWER FACTOR	INGRESS PROTECTION
9503	18W LED	4000K	1000 lm	120°	80	⊕	~220-240V, 50Hz	> 0,5	IP 44
9502	24W LED	4000K	1380 lm	120°	80	⊕	~220-240V, 50Hz	> 0,5	IP 44





KASAI 9490 CH



KASAI 9490 CH

KASAI 9491 N



KASAI

szkło, stal chromowana / glass, electroplated steel /
стекло, хромированное сталь

9490 ● CH

Ⓛ 2×E27, max 40W
IP 20

TUGELA

szkło, stal chromowana / glass, electroplated steel /
стекло, хромированное сталь

9492 ● CH

Ⓛ 1×G9, max 40W, **included**
IP 20

KASAI

szkło, stal niklowana / glass, nickel-plated steel /
стекло, сталь никелированная

9491 ● N

Ⓛ 2×E27, max 40W
IP 20

TUGELA

szkło, stal niklowana / glass, nickel-plated steel /
стекло, сталь никелированная

9493 ● N

Ⓛ 1×G9, max 40W, **included**
IP 20



TUGELA 9492 CH


TUGELA 9493 N



MALAKKA LED 9501 CH




BASSA LED 9500 CH



BASSA LED

acryl, aluminium chrom / acryl, aluminium chrome / акрил, хромированный алюминий

9500 ● CH



MALAKKA LED


szkło, stal chromowana / glass, electroplated steel / стекло, хромированная сталь

9501 ● CH

ITEM NO	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI _a)	SAFETY TYPE	INPUT	POWER FACTOR	INGRESS PROTECTION
9500	18W LED	4000K	750 lm	120°	80	⊕	~220-240V, 50Hz	> 0,5	IP 44
9501	18W LED	4000K	940 lm	120°	80	⊕	~220-240V, 50Hz	> 0,5	IP 44



MAKEUP LED 9504 CH



MAKEUP LED

szkło, akryl, stal chromowana / glass, acrylic, electroplated steel /
стекло, акрил, хромированное сталь

9504 ● CH


ITEM NO	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI ≥)	SAFETY TYPE	INPUT	POWER FACTOR	INGRESS PROTECTION
9504	3W LED	4000K	43 lm	120°	80	■	~220-240V, 50Hz	> 0,5	IP 44



BALI 9353 TR



BALI 9354 WH



BALI

szkło, stal chromowana / glass, electroplated steel / стекло, хромированное сталь

9353 ● TR 9354 ○ WH

Ⓛ 1xE14, max 25W
IP 44



SOUL 9560 GR



SOUL 9558 WH



SOUL

aluminium, szkło / aluminium, glass / алюминий, стекло


9555 ● GR 9556 ○ WH

1xGU10, max 35W

IP 44



SOUL 9556 WH




SOUL

aluminium, szkło / aluminium, glass / алюминий, стекло

9557 ● GR 9558 ○ WH

1xGU10, max 35W

IP 44



SOUL

aluminium, szkło / aluminium, glass / алюминий, стекло

9560 ● GR

2xGU10, max 35W

IP 44




SOUL 9560 GR



OTTAWA 9562 GR

OTTAWA 9563 GR




OTTAWA

aluminium, szkło / aluminium, glass / алюминий, стекло

9561 ● GR

1xGU10, max 35W
IP 44



OTTAWA

aluminium, szkło / aluminium, glass / алюминий, стекло

9562 ● GR

1xGU10, max 35W
IP 44



OTTAWA


aluminium, szkło / aluminium, glass / алюминий, стекло

9563 ● GR


1xGU10, max 35W
IP 44



OTTAWA 9562 GR




ITEM NO	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI ≥)	SAFETY TYPE	INPUT	POWER FACTOR	INGRESS PROTECTION
9508	9W LED EPISTAR	3000K	395 lm	31°	80	⊕	~220-240V, 50Hz	0,85	IP 54
9507	9W LED EPISTAR	3000K	410 lm	39°	80	⊕	~220-240V, 50Hz	0,85	IP 54



HANOI LED

aluminium / aluminium / алюминий


9512 ○ WH



HAVANA LED

aluminium / aluminium / алюминий

9511 ○ WH



LIMA LED

aluminium / aluminium / алюминий

9510 ○ WH

ITEM NO	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI ≥)	SAFETY TYPE	INPUT	POWER FACTOR	INGRESS PROTECTION
9512	6W LED EPISTAR	3000K	335 lm	92°	80	⊕	~220-240V, 50Hz	0,55	IP 54
9511	9W LED EPISTAR	3000K	430 lm	106°	80	⊕	~220-240V, 50Hz	0,85	IP 54
9510	6W LED EPISTAR	3000K	360 lm	97°	80	⊕	~220-240V, 50Hz	0,55	IP 54




ARRIS 9516 INOX

ARRIS 9515 INOX

NICO 9518 GR

NICO 9517 GR




ARRIS

inox, szkło / inox, glass / inox, стекло

9515 ● INOX

Ⓛ 2×GU10, max 10W
IP 54




ARRIS

inox, szkło / inox, glass / inox, стекло

9516 ● INOX

Ⓛ 1×GU10, max 10W
IP 54




NICO

aluminium, szkło / aluminium, glass / алюминий, стекло

9517 ● GR

Ⓛ 2×GU10, max 10W
IP 54




NICO


aluminium, szkło / aluminium, glass / алюминий, стекло

9518 ● GR

Ⓛ 1×GU10, max 10W
IP 54



PRIMM 9551 GR



PRIMM

aluminium, szkło / aluminium, glass / алюминий, стекло


9551 ● GR

⚡ 1×GU10, max 10W

IP 54



FALLON 9552 GR



FALLON

aluminium, szkło / aluminium, glass / алюминий, стекло


9552 ● GR

⚡ 1×GU10, max 10W

IP 54



LAMAR 9553 GR



LAMAR

aluminium, szkło / aluminium, glass / алюминий, стекло


9553 ● GR

⚡ 2×GU10, max 10W

IP 54



PAOLI 9554 INOX






PAOLI

inox, szkło / inox, glass / inox, стекло

9554 ● INOX

⚡ 1×GU10, max 10W

IP 67



PUEBLA LED

aluminium, PC / aluminium, PC / алюминий, PC

9513 ● GR

MERIDA LED

aluminium, PC / aluminium, PC / алюминий, PC

9514 ● GR

HEXA 9564 WH



HEXA



aluminium, szkło / aluminium, glass / алюминий, стекло

9564 ○ WH 9565 ● GR

Ⓛ 1×GU10, max 35W

IP 44


ITEM NO	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI ≥)	SAFETY TYPE	INPUT	POWER FACTOR	INGRESS PROTECTION
9513	12W LED EPISTAR	3000K	538 lm	110°	80	Ⓛ	~220-240V, 50Hz	0.93	IP 54
9514	12W LED EPISTAR	3000K	538 lm	110°	80	Ⓛ	~220-240V, 50Hz	0.93	IP 54



FLAT LED

aluminium, PC dyfuzor / aluminium, PC diffuser / алюминий, PC диффузор

9422 ● GR



ZOA LED


aluminium, szkło / aluminium, glass / алюминий, стекло

9421 ● BL

ITEM NO	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI ≥)	SAFETY TYPE	INPUT	POWER FACTOR	INGRESS PROTECTION
9422	12W LED EPISTAR	3000K	350 lm	110°	81	⊕	~220-240V, 50Hz	0,9	IP 54
9421	10W LED EPISTAR	3000K	795 lm	110°	81	⊕	~220-240V, 50Hz	0,55	IP 54




PATHWAY LED 9252 BL



PATHWAY LED

aluminium, stal lakierowana / aluminium, painted steel /
алюминий, лакированная сталь

9420 ● BL




PATHWAY LED

aluminium, stal lakierowana / aluminium, painted steel /
алюминий, лакированная сталь

9252 ● BL

ITEM NO	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI ≥)	SAFETY TYPE	INPUT	POWER FACTOR	INGRESS PROTECTION
9420, 9252	24W LED	3000K	2200 lm	100°	80	⊕	~220-240V, 50Hz	0,9	IP 44




GALAXY

PE, stal lakierowana / PE, painted steel / PE, лакированная сталь

9246 ● WH/GR

1×E27, max 40W
IP 44




GALAXY

PE, INOX / PE, INOX / PE, INOX

9425 ○ WH

1×E27, max 40W
IP 44




STAR

PE / PE / PE

9418 ○ WH

1×E27, max 40W
IP 20



STAR

PE / PE / PE

9426 ○ WH

1×E27, max 40W
IP 44




DUPLEX

PC, aluminium / PC, aluminium / PC, алюминий

9341 ○ WH

1×E27 / 2×E27, 4A / 250V, max 40W




ES111 LED LENS

tworzywo sztuczne / plastic / пластик

9343 ● BL 9345 ○ WH

GU10, ES111, 9W



ES111 LED DIFFUSER

tworzywo sztuczne / plastic / пластик

9342 ● BL 9344 ○ WH

GU10, ES111, 9W

Alfabetyczny spis treści / Alphabetical index

A	ALANYA 42	ARRIS..... 82	AWINION 48	AXIS..... 8	FLEX SHADE..... 44	FLEX..... 45	G	GALAXY..... 92	GAP..... 14	GARRET..... 35	GLOBE..... 11	GROOVE..... 15	H	HALL LED..... 41	HANOI LED..... 81	HARMONY..... 7	HAVANA LED..... 80	HEXA..... 87	HOTEL..... 46	D	DOT..... 33	DOVER..... 50	DOWNLIGHT ES111.. 16	DUPLEX..... 94	E	ES111 LED..... 94	EYE FIT..... 28	F	FALLON..... 84	FLAT LED..... 88	MINIMAL..... 53	MIRROR LED..... 63	MOD PLUS..... 18	MOD..... 18	MONACO..... 2	MONTERREY LED.... 78	N	NEO..... 49	NICO..... 82	NUAGE..... 10	O	OFFICE LED..... 40	OSLO LED..... 54	OSLO..... 54	OTTAWA..... 76	OVAL..... 15	K	KAGERA LED..... 65	KASAI..... 66	L	LAMAR..... 85	LIMA LED..... 81	M	MAKEUP LED..... 70	MALAKKA LED..... 68	MERIDA LED..... 86	PROFILE EYE..... 25	PROFILE FLEX..... 23	PROFILE SHOW LED . 22	PROFILE VESPA..... 25	PROFILE WORKSHOP 24	PROFILE..... 20	PUEBLA LED..... 86	S	SHY..... 12	SIS..... 64	SOFT LED..... 36	SOUL..... 72	STAR..... 93	T	TEPIC LED..... 79	TOY-STAR..... 56	TUBE..... 34	TUGELA..... 67	P	PAG..... 14	PAOLI..... 85	PATHWAY LED..... 90	PLANT..... 30	PRIMM..... 85	PROFILE BIT..... 24	PROFILE BUBBLE.... 24	PROFILE EYE FLEX... 23	PROFILE EYE SPOT . 22	PROFILE EYE SUPER. 23	V	VAN GOGH LED..... 60	W	WING LED..... 32	WOOD DIAMOND 52	Z	ZOA LED..... 89
----------	-----------------	---------------	------------------	-------------	--------------------	--------------	----------	----------------	-------------	----------------	---------------	----------------	----------	------------------	-------------------	----------------	--------------------	--------------	---------------	----------	-------------	---------------	----------------------	----------------	----------	-------------------	-----------------	----------	----------------	------------------	-----------------	--------------------	------------------	-------------	---------------	----------------------	----------	-------------	--------------	---------------	----------	--------------------	------------------	--------------	----------------	--------------	----------	--------------------	---------------	----------	---------------	------------------	----------	--------------------	---------------------	--------------------	---------------------	----------------------	-----------------------	-----------------------	---------------------	-----------------	--------------------	----------	-------------	-------------	------------------	--------------	--------------	----------	-------------------	------------------	--------------	----------------	----------	-------------	---------------	---------------------	---------------	---------------	---------------------	-----------------------	------------------------	-----------------------	-----------------------	----------	----------------------	----------	------------------	----------------------	----------	-----------------

Kody kolorów / Color codes

● BL - black	● GR - graphite	● N - nickel	● SMOKED OAK
● CH - chrome	● GY - gray	● OAK	● TR - transparent
● CO - copper	● INOX - stainless steel	● SI - SILVER	○ WH - white

Indeks lamp / Progressive code index

Index	Strona/Page	Index	Strona/Page	Index	Strona/Page	Index	Strona/Page
9237	27	9318	34	9388	12	9505	64
9238	27	9320	34	9390	12	9506	64
9240	15	9321	22	9391	13	9507	79
9241	15	9322	22	9392	12	9508	79
9244	23	9323	25	9393	12	9510	81
9245	23	9324	23	9394	29	9511	81
9246	92	9325	23	9395	29	9512	81
9247	35	9328	23	9396	29	9513	86
9248	32	9330	23	9397	29	9514	86
9250	32	9331	23	9398	29	9515	83
9252	91	9332	23	9400	29	9516	83
9256	51	9333	24	9403	19	9517	83
9257	50	9334	24	9404	19	9518	83
9258	50	9335	24	9407	19	9522	39
9260	51	9336	24	9408	19	9523	39
9261	51	9337	25	9412	18	9524	39
9262	51	9338	25	9413	18	9525	39
9263	50	9340	63	9416	18	9526	39
9264	50	9341	94	9417	18	9527	39
9265	51	9342	94	9418	93	9528	38
9266	51	9343	94	9420	91	9530	38
9267	51	9344	94	9421	89	9531	38
9268	51	9345	94	9422	88	9532	38
9272	10	9346	62	9423	22	9533	38
9273	45	9347	62	9424	22	9534	38
9274	45	9348	62	9425	92	9535	38
9275	45	9350	62	9426	93	9536	38
9276	45	9351	62	9427	24	9537	38
9277	45	9352	62	9448	26	9538	38
9278	45	9353	71	9450	26	9540	38
9280	48	9354	71	9451	26	9541	38
9281	48	9355	40	9452	26	9542	37
9282	48	9356	40	9453	27	9543	37
9285	59	9357	41	9454	27	9544	37
9286	59	9358	40	9455	27	9545	37
9290	59	9360	40	9456	27	9546	37
9293	56	9362	5	9457	27	9547	37
9294	9	9363	5	9458	27	9551	85
9295	32	9364	5	9460	27	9552	85
9296	8	9365	49	9461	27	9553	85
9297	9	9366	49	9462	27	9554	85
9298	46	9367	42	9463	27	9555	75
9300	46	9370	43	9466	41	9556	75
9301	47	9371	42	9470	17	9557	75
9302	47	9372	52	9471	17	9558	75
9303	47	9373	43	9472	17	9560	75
9304	47	9374	6	9490	67	9561	77
9306	11	9375	53	9491	67	9562	77
9307	11	9376	57	9492	67	9563	77
9308	5	9377	53	9493	67	9564	87
9310	53	9378	33	9495	17	9565	87
9311	54	9381	31	9496	17	9570	17
9312	54	9382	31	9497	17	9571	17
9313	54	9383	15	9500	69	9572	17
9314	55	9384	14	9501	69	9573	17
9315	55	9385	14	9502	65	9574	17
9316	15	9386	14	9503	65	9575	17
9317	34	9387	14	9504	70	9890	7

